

# MEDIA COMPATIBILITY CHART

**POLYart<sup>®</sup> Inkjet**

OEM	Inkjet machine type	Runnability	Printing quality / Ink robustness	Comments
CANON	VarioPrint iX	/ <i>(82g/m<sup>2</sup> = material too soft)</i>		Runnability issue Sheets can't reach the print module - Material too soft (Polyart Inkjet 82g/m <sup>2</sup> )
		*** <i>(172g/m<sup>2</sup>)</i>	*** <i>(on Inkjet coated side)</i>	Excellent printing results and Ink robustness achieved on Inkjet coated side up to Canon Premium quality; Use of "coated paper" settings. Inkjet coated side printing results approved by Canon Not to be printed Duplex
KYOCERA	TASKalpha PRO 15000c	***	***	Sheet fed Machine - Not to be printed Duplex  (172 gsm tested)
EPSON	Workforce Enterprise WF-21000; Workforce Enterprise AM-C6000; Workforce Pro WF-C879RDWF		/	Sheet fed "office" machine - Ink Drying not satisfactory  (172 gsm tested)
FUJIFILM	JetPress 750	***	***	Very good result with and without primer, in high quality & high speed mode Good drying No base film distortion Heating Temperature: 60/50°C On 172g/m <sup>2</sup> : advised to be use with primer only  (82 and 172 gsm tested)

\*\*\* Excellent    \*\* Suitable    \* Compatible    / Not compatible